

## PARK 500

DIVISION OF PHILIP MORRIS INCORPORATED

Project No. \_\_\_\_\_ Book \_\_\_\_\_

THINKS  
5-17-93  
1100-1900

31

*Confidential  
Philip Morris v. ABC*

From: Jim Motz  
To: Coords  
Subj: T-1 outage.

The T-1, which handles all computer connections to Richmond, will be down on Tuesday 18 May from 0500 till 0600. This time could be shorter. It will affect PERMIS, MBO & Stock Room 8100 systems, as well as timer attendance. During the T-1 outage normal voice telephone call will be in service as normal. If normal service becomes unavailable because of a switch or C&P outage a special line & number exists for emergency calls. This number is 751-9070. This should only be used if the normal calling methods won't work.

Also the Dial 8 on Philip Morris Network to other site will also be out of service, but the normal Dial 9 long distance or out of plant service will be in service.

Power House. - There will be no supervisor on 3-11 or 11-7 floor now on. All ph super to daylight. There will always be one on call. This week from Monday to Sunday will be Gary Hill. Next starting 5/24/93 will be Mark Cullen. The week of 31 May will be Bob Williamson. Then start with G. Hill again. Don McTeehan to send new schedules out - Beepers still serve. E. Rudd goes to Richmond O.C. as a monitor supervisor.

Store 3-11 off E.A. working on KVB CO Analyzer. Putting a new limit. NOT critical for permit reasons so will work only on 3-11 & 7-3. No supervisor in charge.

Read and understood by \_\_\_\_\_

Date \_\_\_\_\_

W.P. B.D.

Name \_\_\_\_\_

Date \_\_\_\_\_

2030829114